

Amendment
Serial No.10/028,381

Docket No.US010662

BEST AVAILABLE COPY**IN THE CLAIMS:**

1. (currently amended) A method for utilizing a data format preference of a device, comprising:
 - connecting a device to a network having a data repository;
 - sending a device format preference to said data repository when the device is connected to the network, the device format preference including format information for needed data; and
 - utilizing, on the network, the device format preference from the data repository in preparing the needed data for transmission to said device; and
 - sending the prepared needed data to said device.
2. (previously amended) The method of claim 1, further comprising saving the device format preference in the data repository.
3. (original) The method of claim 1, wherein the device format preference is sent with a device identifier.
4. (original) The method of claim 1, wherein the device format preference is saved with a network address of the device to be used as a device identifier by the data repository.
5. (original) The method of claim 1, wherein the device connected to the network sends the device format preference each time it is connected to the network.

Amendment
Serial No.10/028,381

Docket No.US010662

6. (previously amended) The method of claim 1, wherein the network is an automatic configuration network, so that any device connected thereto sends the device format preference upon initial connection to the network.

7. (previously amended) The method of claim 1, further comprising:
sending a request for specific information by the device;
extracting, by the data repository from data storage, specific information;
retrieving the device format preference by the data repository using a device identifier;
formatting the specific information according to the device format preference; and
sending the specific information over the network to the device from the data repository.

8. (previously amended) The method according to claim 7, wherein the device is an electronic device, and the request for the specific information and device format preference are embodied as one or more data packets.

9. (original) The method according to claim 7, wherein the data repository is an extensible Markup Language (XML) data repository.

10. (previously amended) The method according to claim 7 wherein the data repository includes an extensible Markup Language (XML) database in communication

Amendment
Serial No.10/028,381

Docket No.US010662

with an Extensible Stylesheet Language Transformation (XSLT) engine in
communication with the network.

11. (previously amended) The method according to claim 7, wherein the
request for information is in an Extensible Stylesheet Language (XSL) stylesheet.

12. (previously amended) The method according to claim 7, wherein the
network is an In-Home Digital Network (IHDN).

13. (original) The method according to claim 7, wherein the device is any one
of the group comprising a personal computer, personal digital assistant, television, video
cassette recorder, personal video recorder, remote control, and audio system, and the
specific information requested is electronic program guide information.

14. (previously amended) A method for recognizing a preferred format of a
device comprising:

connecting the device to an In-Home Digital Network (IHDN) network that has
an extensible Markup Language (XML) data repository;

sending an Extensible Stylesheet Language (XSL) stylesheet request for
excerpted electronic programming guide (EPG) information, including a device format
preference from the device, over the IHDN network to an Extensible Stylesheet
Language Transformation (XSLT) engine in communication with the XML data
repository; and

Amendment
Serial No.10/028,381

BEST AVAILABLE COPY Docket No.US010662

utilizing, on the network, said device format preference from the XML data repository in preparing data for transmission to said device.

15. (previously amended) The method of claim 14, further comprising extracting the requested excerpted EPG information by the XSLT engine from the XML data repository;

formatting the excerpted EPG information in accordance with said device format preference; and

sending the excerpted EPG information by the XSLT engine to the device over the IHDN network.

16. (currently amended) A system for using a format preferred for a device, the system comprising:

a network that includes a data repository;

said device, connected to the network and having a data format preference; and

a data packet containing a request for specific information, said data packet including said data format preference, wherein ~~the~~ said data packet is prepared by the device and transmitted over the network to said data repository,

said network being configured for using said data packet, in preparing ~~data~~ the specific information for transmission to said device, said ~~-data~~ format preference stored by said data repository.

Amendment
Serial No.10/028,381

Docket No.US010662

17. (previously amended) The system of claim 16, wherein the data repository extracts the specific information of the request, formats the specific information in accordance with said data format preference, and transmits the specific information over the communication network to the device.

18. (previously amended) The system according to claim 16, wherein the data repository is an extensible Markup Language (XML) data repository, which includes an XML database in connection with an Extensible Stylesheet Language Transformation (XSLT) engine, and the request for specific information and the device format preference are in an Extensible Stylesheet Language (XSL) stylesheet.

19. (previously amended) The system according to claim 16, wherein the network is an In-Home Digital Network (IHDN).

20. (original) The system according to claim 16, wherein the specific information requested is electronic programming guide information.